

# Base R

## Cheat Sheet

### Getting Help

Accessing the help files

#### ?mean

Get help of a particular function.

**help.search('weighted mean')**

Search the help files for a word or phrase.

**help(package = 'dplyr')**

Find help for a package.

More about an object

#### str(iris)

Get a summary of an object's structure.

#### class(iris)

Find the class an object belongs to.

### Using Packages

#### install.packages('dplyr')

Download and install a package from CRAN.

#### library(dplyr)

Load the package into the session, making all its functions available to use.

#### dplyr::select

Use a particular function from a package.

#### data(iris)

Load a built-in dataset into the environment.

### Working Directory

#### getwd()

Find the current working directory (where inputs are found and outputs are sent).

#### setwd('C://file/path')

Change the current working directory.

**Use projects in RStudio to set the working directory to the folder you are working in.**

### Vectors

#### Creating Vectors

c(2, 4, 6)	2 4 6	Join elements into a vector
2:6	2 3 4 5 6	An integer sequence
seq(2, 3, by=0.5)	2.0 2.5 3.0	A complex sequence
rep(1:2, times=3)	1 2 1 2 1 2	Repeat a vector
rep(1:2, each=3)	1 1 1 2 2 2	Repeat elements of a vector

#### Vector Functions

#### sort(x)

Return x sorted.

#### table(x)

See counts of values.

#### rev(x)

Return x reversed.

#### unique(x)

See unique values.

#### Selecting Vector Elements

##### By Position

#### x[4]

The fourth element.

#### x[-4]

All but the fourth.

#### x[2:4]

Elements two to four.

#### x[-(2:4)]

All elements except two to four.

#### x[c(1, 5)]

Elements one and five.

##### By Value

#### x[x == 10]

Elements which are equal to 10.

#### x[x < 0]

All elements less than zero.

#### x[x %in% c(1, 2, 5)]

Elements in the set 1, 2, 5.

##### Named Vectors

#### x['apple']

Element with name 'apple'.

### Programming

#### For Loop

```
for (variable in sequence) {  
  Do something  
}
```

##### Example

```
for (i in 1:4){  
  j <- i + 10  
  print(j)  
}
```

#### While Loop

```
while (condition) {  
  Do something  
}
```

##### Example

```
while (i < 5){  
  print(i)  
  i <- i + 1  
}
```

#### If Statements

```
if (condition) {  
  Do something  
} else {  
  Do something different  
}
```

##### Example

```
if (i > 3){  
  print('Yes')  
} else {  
  print('No')  
}
```

#### Functions

```
function_name <- function(var) {  
  Do something  
  return(new_variable)  
}
```

##### Example

```
square <- function(x) {  
  squared <- x*x  
  return(squared)  
}
```

### Reading and Writing Data

Also see the **readr** package.

Input	Output	Description
df <- read.table('file.txt')	write.table(df, 'file.txt')	Read and write a delimited text file.
df <- read.csv('file.csv')	write.csv(df, 'file.csv')	Read and write a comma separated value file. This is a special case of read.table/writeable.
load('file.Rdata')	save(df, file = 'file.Rdata')	Read and write an R data file, a file type special for R.

#### Conditions

a == b	Are equal	a > b	Greater than	a >= b	Greater than or equal to	is.na(a)	Is missing
a != b	Not equal	a < b	Less than	a <= b	Less than or equal to	is.null(a)	Is null

## Types

Converting between common data types in R. Can always go from a higher value in the table to a lower value.

<code>as.logical</code>	TRUE, FALSE, TRUE	Boolean values (TRUE or FALSE).
<code>as.numeric</code>	1, 0, 1	Integers or floating point numbers.
<code>as.character</code>	'1', '0', '1'	Character strings. Generally preferred to factors.
<code>as.factor</code>	'1', '0', '1', levels: '1', '0'	Character strings with preset levels. Needed for some statistical models.

## Maths Functions

<code>log(x)</code>	Natural log.	<code>sum(x)</code>	Sum.
<code>exp(x)</code>	Exponential.	<code>mean(x)</code>	Mean.
<code>max(x)</code>	Largest element.	<code>median(x)</code>	Median.
<code>min(x)</code>	Smallest element.	<code>quantile(x)</code>	Percentage quantiles.
<code>round(x, n)</code>	Round to n decimal places.	<code>rank(x)</code>	Rank of elements.
<code>signif(x, n)</code>	Round to n significant figures.	<code>var(x)</code>	The variance.
<code>cor(x, y)</code>	Correlation.	<code>sd(x)</code>	The standard deviation.

## Variable Assignment

```
> a <- 'apple'
> a
[1] 'apple'
```

## The Environment

```
ls()
# List all variables in the environment.

rm(x)
# Remove x from the environment.

rm(list = ls())
# Remove all variables from the environment.
```

You can use the environment panel in RStudio to browse variables in your environment.

## Matrices

```
m <- matrix(x, nrow = 3, ncol = 3)
# Create a matrix from x.

m[2, ]
# - Select a row

m[, 1]
# - Select a column

m[2, 3]
# - Select an element

t(m)
# Transpose

m %*% n
# Matrix Multiplication

solve(m, n)
# Find x in: m * x = n
```

## Lists

```
l <- list(x = 1:5, y = c('a', 'b'))
# A list is a collection of elements which can be of different types.

l[[2]]
# Second element of l.

l[[1]]
# New list with only the first element.

l$x
# Element named x.

l[["y"]]
# New list with only element named y.
```

## Data Frames

```
df <- data.frame(x = 1:3, y = c('a', 'b', 'c'))
# A special case of a list where all elements are the same length.
```

x	y
1	a
2	b
3	c

### List subsetting

```
df$x
# [1] 1 2 3

df[[2]]
# [1] "a" "b" "c"
```

Understanding a data frame

View(df) See the full data frame.

head(df) See the first 6 rows.

### Matrix subsetting

```
df[, 2]
# [1] "a" "b" "c"
```



```
df[2, ]
# [1] "b" "c"
```



```
df[2, 2]
# [1] "c"
```



## Strings

Also see the **stringr** package.

```
paste(x, y, sep = ' ')
# Join multiple vectors together.

paste(x, collapse = ' ')
# Join elements of a vector together.

grep(pattern, x)
# Find regular expression matches in x.

gsub(pattern, replace, x)
# Replace matches in x with a string.

toupper(x)
# Convert to uppercase.

tolower(x)
# Convert to lowercase.

nchar(x)
# Number of characters in a string.
```

## Factors

```
factor(x)
# Turn a vector into a factor. Can set the levels of the factor and the order.

cut(x, breaks = 4)
# Turn a numeric vector into a factor by 'cutting' into sections.
```

## Statistics

```
lm(y ~ x, data=df)
# Linear model.

glm(y ~ x, data=df)
# Generalised linear model.

summary
# Get more detailed information out a model.

pairwise.t.test
# Perform a t-test for paired data.

aov
# Analysis of variance.
```

## Distributions

	Random Variates	Density Function	Cumulative Distribution	Quantile
Normal	<code>rnorm</code>	<code>dnorm</code>	<code>pnorm</code>	<code>qnorm</code>
Poisson	<code>rpois</code>	<code>dpois</code>	<code>ppois</code>	<code>qpois</code>
Binomial	<code>rbinom</code>	<code>dbinom</code>	<code>pbinom</code>	<code>qbinom</code>
Uniform	<code>runif</code>	<code>dunif</code>	<code>punif</code>	<code>qunif</code>

## Plotting

Also see the **ggplot2** package.



`plot(x)`  
Values of x in order.



`plot(x, y)`  
Values of x against y.



`hist(x)`  
Histogram of x.

## Dates

See the **lubridate** package.